


KILLINGLY CAR WASH

1085 NORTH MAIN STREET
KILLINGLY, CT



ALLIED CONSTRUCTION, INC.

GENERAL CONTRACTORS

PO BOX 973
MANCHESTER, CT 06040
TELEPHONE (860) 643-5888
FACSIMILE (860) 645-0897

DRAWING LIST

CS	COVER SHEET
S-1	GENERAL NOTES & DESIGN CRITERIA
S-2	FOUNDATION PLAN
S-3	FIRST FLOOR LINTEL PLAN
S-4	ROOF FRAMING PLAN
S-5	WALL SECTIONS
S-6	TYPICAL MASONRY & CONCRETE DETAILS
A-1	PLANS & ELEVATIONS
A-2	SECTIONS
A-3	SECTIONS
A-4	MISC. DETAILS
A-5	VACUUM ISLANDS & PIT DETAIL

BUILDING CODES: STATE OF CT BUILDING CODE CONSISTS OF:
 2009 INTERNATIONAL BUILDING CODE
 2009 CT SUPPLEMENTS WHICH INCLUDES 2009 AMENDMENT TO THE 2009 STATE BUILDING CODE
 2009 INTERNATIONAL ENERGY CONSERVATION CODE
 2009 INTERNATIONAL FIRE ALARM & SIGNALING CODE
 2009 INTERNATIONAL MECHANICAL AND PLUMBING CODE
 2009 INTERNATIONAL ENERGY CONSERVATION CODE (NOT AMENDMENTS)
 2009 INTERNATIONAL ELECTRICAL CODE
 2009 NFPA NATIONAL ELECTRICAL CODE
 2009 CONNECTICUT STATE FIRE SAFETY CODE W/ 2009 AMENDMENTS
 2009 (C/ANSI) A117 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES

CONSTRUCTION TYPE	PER STATE OF CT BUILDING CODES CODE
REQUIREMENT	REFERENCE
5B	SEC. 602.5
AUTOMATIC SPRINKLERS	SEC. 4
AUTOMATIC FIRE ALARM	SEC. 907.2.2
BUILDING HEIGHT	TABLE 509
BUILDING AREA/ FLOOR OCCUPANCY GROUP	TABLE 509
4000 S.F.	2,949 S.F.
B - BUSINESS	SEC. 304.1
30	TABLE 1004.1.2
1 F/L/ILX @ EGRESS	SEC. 1006.2
0.2/PERSON	TABLE 1005.1
30 X 2 = 6' TOTAL	TABLE 1005.1
1	TABLE 1005.1
200' MAX.	TABLE 1051
0 HOURS	TABLE 602
N.R.	TABLE 602
REPAIRTY WALLS	SEC. 1019.1
1 HOUR	SEC. 302.3.1
N/A	N/A
MIXED USE SEPARATION	TABLE 602
1 HOUR	N/A
N.R.	N/A
DWELLING UNIT/TENANT SEPARATION	TABLE 601
0 HOURS	TABLE 601
0 HOURS	TABLE 601
0 HOURS	TABLE 601
0 HOURS	TABLE 302.1.1
1 HOUR (830,000 BTU)	TABLE 302.1.1
1 HOUR	TABLE 302.1.1
1 HOUR	SEC. 117.4
N.R. 30,000 S.F.	

FIRE EXTINGUISHERS: WORK SHALL INCLUDE INSTALLATION OF FIRE EXTINGUISHERS 1 PER 3000 S.F.
 1 - 10 lb. ABC FIRE EXTINGUISHER REQUIRED = < 50 TRAVEL DISTANCE

REV-	
REV-	NOVEMBER 11, 2011 BUILDING DEPARTMENT COMMENTS
REV-	NOVEMBER 3, 2011 ISSUED FOR PERMIT
DATE:	OCTOBER 20, 2011

